

**GOVERNMENT OF MANIPUR
POLICE DEPARTMENT**

--

**DIRECTOR GENERAL OF POLICE
MANIPUR POLICE HEADQUARTERES,
IMPHAL-795001
(Fax No . 0385-22449825 & 0385-2442048)**

--

Open Tender No. No.PR-18/44/2010-11/PHQ (Pt)/

Dated, the 12th November, 2010.

1. The Director General of Police, Manipur invites Open Tender with sealed in 2(two) bids systems to all intending reputed and registered Manufacturers/Fabricators / Firms for supply of Security / FSL items which are detailed in the **Schedule**. Tenders will be received by the undersigned upto **1 p.m.** of **3/12/2010** and will be opened on the same day at **3 p.m.** in presence of the Tenderers /their representatives, if any at PHQ, Imphal. Rates to be quoted are F.O.R. ,Imphal and inclusive of all taxes and transportation charges if any.

2. The complete Tender set is available from the office of the Director General of Police /Inspector General of Police (Adm), Police Headquarters Manipur,Imphal-795001 or from the offices of Dy. Resident Commissioners,Govt. of Manipur (1) Manipur Bhavan, Chanakyapuri, Sardar Patel Marg, New Delhi,(2) Manipur Bhavan, 26 Rowland Road(near Ballygunge),Kolkata and (3) Manipur Bhavan, Guwahati on any working day or the same may be downloaded from the Police Website <http://www.manipurpolice.org>

Sd/-

Director General of Police,
Manipur,Imphal.

Endst No . PR-18/44/2009-10/PHQ(Pt)/
Copy to :-

Imphal, the 12th November,2010

1. The Commissioner (Home), Government of Manipur.
2. The Dy. Resident Commissioners,Govt. of Manipur-
 - i) Manipur Bhavan, Chankyapuri,Sradar Patel Marg, New Delhi
 - ii) Manipur Bhavan,26 Rowland Road(near Ballygunge),kolkata
 - iii) Manipur Bhavan Guwahati .
3. The Director, Information & Public Relations, Manipur, Imphal.
- He is requested for insertion in the Local and National Newspapers for 2 days consecutively.
4. The Director, MPR- He is requested to publish the Open Tender Notice with Schedule in the Manipur Police Web site- <http://www.manipurpolice.org>.
5. Approx. Tender value is Rs. 75.13 lakh only for the year of Action Plan,2010-11 .
6. Guard file.

Sd/-

**Director General of Police,
Manipur,Imphal.**

TERMS AND CONDITIONS

1. **Earnest Money of 2%** of the value in the form of DD/Deposit-at-call drawn in favour of the Inspector General of Police (Adm), Manipur, Imphal and the following clearance Certificates be submitted alongwith with the Tender so as to reach PHQ upto 1 p.m. of 2/12/2010.
 - a) Valid VAT Clearance Certificate with the TIN Number(duly attested).
 - b) Valid VAT registration Certificate (duly attested).
 - c) Valid Dealership Sales Tax registration Certificate(duly attested).
 - d) Valid Dealership Certificate /authority from the manufacturer /Authorized dealer (duly attested).
2. If the Tenderers happen to be any type of Firm /Manufacturer /Fabricator or any organized body only such person(s) who are legally competent to sign should sign the concerned papers such as the Bids/Tenders, Contract Deed etc. on behalf of the firm/Manufacturer /Fabricator or any organized body. Such person(s) shall furnish an undertaking making him and such other functionary as also the firm responsible jointly and individually on all connected matters. Failure to do will result in right to rejection of offer without any notice and compensation.
3. The rates should be quoted both in figure and words mentioning the taxes and other charges specially. If any Tender is withdrawn before that dated the earnest money will be forfeited and such Tender will be debarred from tendering for any supply /contract in the Department for a period of 2(two) years.
4. The quantities to be purchased may increase or decrease as per the availability of funds released by MHA. Catalogue/sample of the items wherever possible shall also be submitted. The successful Tenderer will be required to furnish security deposit @ 10% of the total value of items to be supplied for the fulfillment of his contract in the form of DD/Deposit-at-call drawn in favour of the Inspector General of Police (Adm), Manipur,Imphal.
5. The successful Bidder/supplier shall ensure to supply the items as per time schedule mentioned in the Supply order.
6. In the event of rejection, failing, declining, neglecting or delaying to company with any demand or requisition, the Department will be at liberty (without prejudice to any other remedy the Department may resort to on account of any claim for compliance and failure to abide by the supply schedule) to cancel the Tender.
7. The Police Department reserves the right to enhance or reduce the amount of security deposit at any time till the placing of supply orders on the successful bidder/Tenderer.
8. The Police Department also reserves the right to terminate any or all Tenders without assigning any reason, whatsoever by giving 15 days notice in writing and is also bound to accept the lowest tender without assigning any reasons therefore.
9. In case of dispute on any matter arising out of the contract, decision of the arbitrator appointed by the Government of Manipur will be binding on both parties.
10. Any further information required in this regard may be obtained on application on any working day from IGP(Adm), Imphal, Manipur.

Sd/-

**Director General of Police,
Manipur, Imphal.**

--

SCHEDULE OF ITEM TO BE SUPPLIED:-**A) Security/Intelligent Equipments:**

SI No	Name of item	Qty	Specifications
1	Explosive Detector	1	<ul style="list-style-type: none"> a) Detector Type:- Ion Mobility Spectrometer (IMS) with photonic non radioactive ionization (U.S. Patent #6828795) b) Analysis Time: User-selectable , 5-30 sec (10 sec default) c) Clear down Time: 15 seconds (typical). No user intervention. d) Sample Acquisition: Non-contact vapor collection . Particulate collection via wiping e) Power: AC Input: 100-240VAC, 47-63Hz. DC Input : 12-15VDC, 15A via battery (included) or vehicle adapter (optional) f) Batteries: Lithium Ion (Li-ion) rechargeable (2ea). Up to 4 hrs operating time per battery g) Warm-up Time: <15 minutes typical h) Operating temperature: -10 to 55°C (14 to 131°F) i) Operating Altitude (max): 4572m (15,000 ft) j) Operating Humidity: 0 to 95% non-condensing k) Substances Identified: Military and commercial explosives, including: RDX, TNT, PETN, HMX, nitroglycerin, nitrates, others. Improvised and homemade explosives, including: TATP, HMTD, ANFO, others. Propellants and taggants, including: Black and smokeless, powders, EGDN, others. Additional substances via user expandable threat library l) Alarm Method: Visible and configurable audible alarm m) Data Display Integrated LCD. Connections for optional external monitor and keyboard n) Calibration: Automatic and continuous self calibration o) Dimensions: (L/W/H) 493 x 127 x 188mm (19.4 x 5 x 7.4in) p) Weight: 5.4 kg (12 lbs) with Li-ion battery.
2.	Deep Search Mine Metal Detector	1	<ul style="list-style-type: none"> a) Power supply: 8 dry batteries C-cell 1,5 V (IEC no. LR14) b) Rechargeable batteries 8 NiMH C-cells 1,2V/4500mA c) Rechargeable battery pack NiMH 9,6V/3,8 Ah d) Operation time: dry batteries LR14 approx. 20 h e) NiMH C-cells, rechargeable approx. 15 h f) Battery pack, rechargeable approx. 12 h g) Temperature: range (operation) -25° to +55°C h) Dimensions: search head approx. 230mm i) UXO search head, oval approx. 420 x 280mm j) Hockey stick probe approx. 305 mm long k) Battery container approx. Ø 36 x 300mm l) Extension rod approx Ø 25 x 600mm m) Rechargeable NiMH battery pack approx. Ø45 x 190mm n) Electronic Cylinder approx. Ø 35 x 460mm o) Length and weight : long detector version approx. 1.700mm p) Weight operational approx. 2.. 2 kgs q) Equipment schedule in transit case approx. 8.5 kgs

Contd. 2/-

SI No	Name of item	Qty	Specifications
3.	Hand Held Metal Detector	34	<p>The equipment should possess the following Features; -</p> <ul style="list-style-type: none"> • Ergonomic design • Visual/audio alarm signal • Headset socket • Dynamic operation • Clear signals • LED battery control <p>With the under noted Technical Specification-</p> <ol style="list-style-type: none"> a) Weight: approx. 270 g b) Power supply: 9V PP3 battery with in-built rechargeable (Ni-MH) system c) Operational Time: approx. 35 h d) Temperature range: approx. -10° C to 55° C e) Dimension: length: approx: 420mm f) Search head: approx. 170 x 115mm g) Handle: approx. 32 mm diameter
4.	Prodger	43	<p>The equipment should possess the following technical features-</p> <ol style="list-style-type: none"> a) Made up of heavy steel with nickel coating b) 1 (one) meter length c) Can be folded with thread system with light source for night viewing d) Has sharp pointed end at one side and shock proof rubber grip at another end e) Light weight f) Strong enough to dig all kinds of soil for suspected items
5.	Under Vehicle Search Mirror	18	<p>The search mirror should be an efficient and simple to use tool for a fast inspection of vehicles. The device should be equipped with splash waterproof LEDs of low power consumption. The construction of the device should be ergonomic and the telescopic handle should be adjustable to suit tall and short operators. It can be extended to reach under large vehicles. Should be incorporated with a battery compartment for three commercial 1.5 V C –cell Batteries (type LR 14) which provide the power for the LEDs. Should be supplied with rechargeable Ni-MH batteries and a robust battery charger and A 200 x 400mm size mirror head as accessories.</p> <p>The system should be with the following Technical Data</p> <ol style="list-style-type: none"> a) Chassis approx. 400 x 400 x 110mm b) Mirror approx. 300 x 200mm c) Telescope approx. 1000-1225mm d) Illumination 10 x special LEDs e) Power consumption approx. 500mA f) Power supply 3 x 1.5 VC-cell (LR 14) or 3 x rechargeable 1.2 VC-cell type Ni-MH battery g) Weight approx. 4 kgs h) Operation time approx. 70 h dry alkaline batteries, approx. 50 h with rechargeable batteries
6.	Blasting Machine	8	<p>For blasting explosives from a safe distance</p> <p>Portable, light weight</p> <p>Rechargeable in built battery</p> <p>Blasting capacity – 100 shots</p> <p>Terminal Voltage – 12 volt DC</p> <p>Dimensions- 20 Cm x 15 Cm x 18 Cm</p> <p>Weight 3.100Kgs (approx.)</p>

7.	B.P. Lectern (A Bullet Proof Podium)	2	<p>It should be specifically designed to provide vital protection to the VIP's/ VVIP's during the time when they make speeches.</p> <p>It should consist of 3 separate plates joined together by means of hinges/bolts.</p> <p>It should be glass fitted in 3 pieces over the plate when joined..</p> <p>It should have plywood with sun-mica provided in front of each plate to give the impression of purely wooden podium.</p> <p>It should have a wooden lectern provided inside the bulletproof podium with sun-mica on top with provision for mike and tube light.</p> <p>It should provide protection from AK-47 theat & SLR threat.</p> <p>Weight: approx. 350 Kgs.</p> <p>Should come in individual pieces and should be able to be assembled and disassembled</p> <p>Dimension of the bullet proof plate: should be 46" x 27"</p> <p>Bulletproof glass should be of 40/50 mm thickness, in 3 pieces of 27" x 30", on top of the plates.</p>
----	---	---	---

B) Forensic Science Equipments (FSL):

SI No	Name of item	Qty	Specifications
1.	Ultrasonic nebulizer	1	<p>a) Sample Uptake Rate: 0.5 -2.5 ml/min</p> <p>b) Nebulizer Gas Flow: 0.5 – 1.5 L/min</p> <p>c) Desolvation Heating Temp: 120°C - 160°C (factory Setting: 140°C)</p> <p>d) Desolvatio Cooling Temp: -20°C to 10°C (factory Setting: 2°C)</p> <p>e) Power Requirements: 220-240 VAC, 50-60Hz, 2A, 520W</p> <p>f) Dimensions: 35.6cm W x 34.9 cm D x 25.4 cm H</p> <p>g) Weight : 12.3 Kg.</p> <p>h) Accessories:</p> <p>Extra Transducer, Type: NI-751</p> <p>Drain Pump Tubing & Connectors</p> <p>2 Extra Glass Reducers</p> <p>Argon Tubing</p> <p>Spare Fuse for 100/115V</p> <p>Tubing Extension Kit (TEFZEL)</p> <p>Spare Luer Plug & Sample Inlet Ferrule</p> <p>Additional various tubing and the water in/out cables</p> <p>Thermo Jarrell Ash Spray Chamber Adapter with Peristaltic Pump Tubing</p>

C) FACILITIES OF CID(CRIME BRANCH):

SI No	Name of item	Qty	Specifications	
1.	Investigation Kit: -	1	Finger Print Basic Powders(50 gm each)	Black, Grey, White & Dual Purpose
			Finger Print Fluorescent Powders (50 gm each)	Green, Yellow, Orange & Red
			Finger Print Magnetic Powders(100 gm each)	Black, Grey, White & Dual Purpose
			Finger Print Fluorescent Magnetic Powders (50) gm each	Green & Red

Contd.4/-

SI No	Name of item	Qty	Specifications	
			Finger Print Powder Atomizer (one)	Plastic Top Model
			Finger Print Brushes(1 each)	Feather Marabou, Feather Ostrich
			Finger Print Brushes(1 each)	All purpose brush & magnetic Applicator
			Finger Print Lifting Tape	1" & 2"
			Finger Print Lifters-55mm X 75mm	Black, White & Transparent (20 each)
			Finger Print Backing Cards- 4" X 4"	Black & White (50 each)
			Finger Print Round Pad (one)	Inkless 2" Dia
			Finger Print Pre inked Strips	3"X10" Preinked Strips (pack of 20)
			Finger Print Iodine Kit	Crystal,Gun,GlassWool, Gloves
			Finger Print Ninhydrin Kit	Crystal, Sprayer, Solution
			Finger Print Taking Kit	Roller, Slab,Ink, Elimination Pad
			Finger Print Cadaver Kit	Straightener, Spoon, Record Strips
			Foot Print Kit (Electrostatic & Casting)	Frame, Plaster, Hardener, Electrostatic Device & Film
			Gun Shot Analysis Kit	Detects trace of Nitrates Gun Powder
			Blood Detection Kit	Detecting & Determining the blood is human or not
			Semen Detection Kit	Detecting Semen Presence
			Narcotic Detection Kit	Detection of Narcotic substances
			Explosive Detection Kit	Detection of Explosive materials
			Portable UV Light	Pocket Type
			Magnifier	Normal Round & Folding
			Vials	Vial Pack of 12
			Preservative (100 ml)	For Preserving Dead Body Skin samples
			Finger Print Softening Tissues	Softening Tissues Pack of 20
			Set of Evidence Collection material	Pouches, Boxes & Jars
			Set of Gloves	Latex, Cotton, Heavy Duty (One each)
			Set of Body Protective (one each)	Dust Mask, Head Cover & Over Shoes
			Set of Tools (one each)	Scissor, Scalpel, Tweezers, Measuring Tap
			Soap, Towel (one each)	
			<i>All the contents of kit come in a professional carrying case.</i>	

Contd. 5/-

Sl No	Name of item	Qty	Specifications	
2.	Finger Print Kit: -	1	<u>CYANOACRYLATE FUMING GUN KIT:</u>	
			Heat Generator Fuming Protective Head Cover Butane Fuel Can Cartridge Extraction Tool Cyanoacrylate Carrying Case with Formed inserts	Gun -1 Cover -1 Small Bottle -1 Steel -1 Cartridges Pack of 10- 1 Hard Molded type -1
			<u>ECONOMY FUMING CHAMBER :</u>	
			Heavy duty base 10" X 10" X 10" box shaped fuming area 15 Preprinted disposable fuming bags Sturdy, lightweight aluminum frame Four evidence clips Carrying Pouch	
			<u>FUMING CABINAT & HEAT CHAMBER</u> Fuming Heat Chamber for development of Latent Finger Prints with ninhydrin, iodine, ammonium sulphide, thiocyanic acid and cyanoacrylates. Constructed of vinyl-coated aluminum. The chamber's chrome-steel heating element is corrosion-resistant, and all hardware is rust proof. The chamber features a 250-watt, corrosion – resistant strip heater and two support rods with evidence clips for hanging documents to be processed.	
	Finger Print Kit: - <u>(IODINE KIT:)</u>	1	Iodine Crystal Iodine Fuming Gun Glass Wool Calcium Chloride Transfer Plates Plate Polisher Carrying Case	20 gm Glass Model Small Case Small Bottle Silver (2" X 2") Reagent Hard
			<u>FUMING BOX:</u>	
			Flat-out (or hot-out) this Hot Box is an incredible help with fuming. This Fuming Hot Box is set at just the right temperature to make sure to get the prints without fear of noxious fumes or unusable evidence. Includes 10 disposable aluminum reservoirs.	
			<u>NINHYDRIN KIT AND SPRAY:</u>	
			Ninhydrin Crystal Ninhydrin Solution Brush Aerosol Sprayer Carrying Case	2 gm. 100 ml. Set of two Plastic Hard

Contd. 6/-

Sl No	Name of item	Qty	Specifications																																								
3.	Camera (Digital)	1	10.0 Mega Pixels,5 X Optical Zoom,28 mm wide angle lense, Optical Image Stabilizer,Smart Auto, HDMI Output, Low Light Mode																																								
4.	Video Camera	1	8.59 Mega Pixels HD CMOS Sensor ,10 X Optical Zoom with IRIS Diaphragm,3.5" (8.89 cms) Colour LCD,Touch Screen, 64 GB Internal Memory,DIGIC DV III Imaging Processor, Smart Auto,Instant AF,Double Card Slots																																								
5.	Digital Recorder	1	ICD-UX 300F Series with one Lap top Computer Memory Capacity - 4GB Recording time memory capacity : ST (Stereo) - 44 hrs. 40 mins. STLP(Stereo long play) – 178 hrs. 40 mins. SP (Standard Play) – 268 hrs. 05 mins. LP (Long Play) – 1072 hrs. 25 mins. Maximum recording times (Battery life)- 14 hrs. 30 mins. No. of MP3 songs (Memory) – 1005 Dimensions (MM) (W/H/D) – 363X98.5X146 Weight – 58 gms. Lap top Computer: - VPCS137GG/B Intel Core™ i5-560M Processor 2.66 GHz with Turbo Boost up to 3.20 GHz, 500 GB, 4GBDDR3 SDRAM, Nvidia 310M (512 MB), Bluetooth, CAM, Windows 7 Professional 64-bit, 2Kg, HDMI Out, Finger Print Sensor, XP Disk, 1 yr. Intel.																																								
6.	VCR/VCD/DVD	1	BDP-S370,Disc Compatibility,Connectivity Options HD Video Features,HD Audio Features,Intuitive Features Dimension (W x H x D) 430 x 36 X 180 mm Weight (Approx.) 2.1 kg.																																								
7.	Testing Kits	1	<table border="0"> <tr> <td>Piptettes 3 ml bulb</td> <td>Disposables - 12</td> </tr> <tr> <td>Contact filter papers</td> <td>1" X 2" (Pack of 100) -12</td> </tr> <tr> <td>Whatman filter paper no. 1</td> <td>Size 6" disc -01</td> </tr> <tr> <td>Blood Stain detection Tablets</td> <td>Normal Set -05</td> </tr> <tr> <td>Blood Stain detection Tablets</td> <td>Set (DNA Safe)-05</td> </tr> <tr> <td>Human and Non Human</td> <td>Determination Strips -10</td> </tr> <tr> <td>Bezidine Powder</td> <td>25 Gm-01</td> </tr> <tr> <td>Leuco Malichite Reagents</td> <td>100 ml -01</td> </tr> <tr> <td>Phenolphthalein Reagents</td> <td>100 ml -01</td> </tr> <tr> <td>Hydrogen Peroxide</td> <td>100 ml -01</td> </tr> <tr> <td>Bottle of Distilled water</td> <td>100 ml -01</td> </tr> <tr> <td>Bottle of Normal Saline</td> <td>100 ml -01</td> </tr> <tr> <td>Blood Collection</td> <td>Tubes -10</td> </tr> <tr> <td>Cotton</td> <td>Gauze Roll Small -05</td> </tr> <tr> <td>Cotton</td> <td>Balls Packet -02</td> </tr> <tr> <td>Aerosol Sprayer</td> <td>Plastic -02</td> </tr> <tr> <td>Glass Slide</td> <td>Box -02</td> </tr> <tr> <td>VDRL Slide</td> <td>Normal -06</td> </tr> <tr> <td>Scissor</td> <td>Steel-03</td> </tr> <tr> <td>Forceps</td> <td>Steel-03</td> </tr> </table>	Piptettes 3 ml bulb	Disposables - 12	Contact filter papers	1" X 2" (Pack of 100) -12	Whatman filter paper no. 1	Size 6" disc -01	Blood Stain detection Tablets	Normal Set -05	Blood Stain detection Tablets	Set (DNA Safe)-05	Human and Non Human	Determination Strips -10	Bezidine Powder	25 Gm-01	Leuco Malichite Reagents	100 ml -01	Phenolphthalein Reagents	100 ml -01	Hydrogen Peroxide	100 ml -01	Bottle of Distilled water	100 ml -01	Bottle of Normal Saline	100 ml -01	Blood Collection	Tubes -10	Cotton	Gauze Roll Small -05	Cotton	Balls Packet -02	Aerosol Sprayer	Plastic -02	Glass Slide	Box -02	VDRL Slide	Normal -06	Scissor	Steel-03	Forceps	Steel-03
Piptettes 3 ml bulb	Disposables - 12																																										
Contact filter papers	1" X 2" (Pack of 100) -12																																										
Whatman filter paper no. 1	Size 6" disc -01																																										
Blood Stain detection Tablets	Normal Set -05																																										
Blood Stain detection Tablets	Set (DNA Safe)-05																																										
Human and Non Human	Determination Strips -10																																										
Bezidine Powder	25 Gm-01																																										
Leuco Malichite Reagents	100 ml -01																																										
Phenolphthalein Reagents	100 ml -01																																										
Hydrogen Peroxide	100 ml -01																																										
Bottle of Distilled water	100 ml -01																																										
Bottle of Normal Saline	100 ml -01																																										
Blood Collection	Tubes -10																																										
Cotton	Gauze Roll Small -05																																										
Cotton	Balls Packet -02																																										
Aerosol Sprayer	Plastic -02																																										
Glass Slide	Box -02																																										
VDRL Slide	Normal -06																																										
Scissor	Steel-03																																										
Forceps	Steel-03																																										

SI No	Name of item	Qty	Specifications
			<p>Aerohead Needles Watchglass Spatula Pricking Needles Hand Gloves Hand Gloves Paper Envelopes Evidence Identification Labels Acid Phosphates Test Acid Phosphates Test Glass vials with cap Portable UV Lamp</p> <p><i>All the contents of kit come in a professional carrying case.</i></p> <p>Steel-03 Size 3”-06 Steel -03 Pack of 10 -02 Cotton - 02 Latex - 06 Small - 20 Crime Evidence - 50 Reagents Sets - 10 Instant Ampoule -05 5 ml - 10 6 Volt - 01</p>
8.	Breadth Analyzer	1	<p>Blood Alcohol Content (BAC indication) - Active Mode: 0.00 to 0.40% (BAC) [0.00 – 4.00 G/L or 0.00 – 2.0 MG/L] Passive Mode : Zero (0), Low (LO), High (HI) [Level can be adjusted at the customer’s request]</p> <p>Warm-up time - 30 Sec.</p> <p>Responds time i) Active Mode – within 5 Sec. ii) Passive Mode – within 3 Sec.</p> <p>Mouth Piece i) Active Mode – Use Mouth Piece ii) Passive Mode – Mouth Piece not use</p> <p>Sensor i)Oxide Semi conductor typeAlcohol Sensor</p> <p>Power Supply Two 1.5 V “AA” Size Alkaline Battery</p> <p>Continuous Usage with new batteries installed Approx. 200 test</p> <p>Weight 117 g</p> <p>Dimension (mm) 125 (Height) X 65 Width X 38 (Thickness) max.</p> <p>Audible warnings Three (3) step warning beeps for alcohol detection.</p> <p>Auto Power Off After one minute inside state.</p>

SI No	Name of item	Qty	Specifications
9.	Search Packing Kits	1	15 m Tape Measure 01 Flashlight 01 Big – Rolls of Evidence Tape 02 Small – Rolls of Evidence Tape 02 Evidence Labels 20 Evidence Tags with Ties 20 Chain of Possession Labels 20 Assorted Zip – Top Bags, 4” X 6” 20 Portable Ultraviolet Light with Batteries 01 Big –Evidence Collection Lifters 10 Medium –Evidence Collection Lifters 10 Small- Evidence Collection Lifters 10 Tweezers 02 AA-Cell Batteries, Alkaline 04 C-Cell Batteries, Alkaline 02 Pair of Scissors 01 Scriber 01 Evidence Knife 01 Marker, Black & White 01 Liquid Sampling Pipettes 04 3” Magnifying Glass 01 Probe with Paint Chip Cutter 01 Sticks of white chalk 03 Collection Tubes with EDTA 12 Disposable Syringes 02 Plastic Jars with caps 03 Plastic Containers with caps 03 Disposable Latex Glove Pairs 02 Stainless Steel Spatula 01 Disposable Scalpel 01 Steel Measuring Tape 01 Inkless Round Finger Print Pad with elimination Slips 01 Inner Storage Case 01 Molded / Aluminum Carrying Case with metal frame 01
10.	Under Vehicle search mirror	1	<u>Measures:</u> Cassis Approx. 400X400X110mm, Mirror Approx. 300X 200 mm, Telescope Approx. 1000 – 1225 mm, Illumination 10 X special LEDs Power consumption approx. 500 mA Power Supply 3 X 1, 5 V C-cell (LR 14) or 3 X rechargeable 1, 2 V, C-cell type Ni MH battery Weight approx. 4 kg. Operation time approx. 70 h with dry alkaline batteries, approx. 50 h with rechargeable batteries. NSN 5120 – 12 – 368 – 3342

Sd/-
Director General of Police,
Manipur, Imphal.